

CAMBRO US Camshelving® (US Sizes and Measurements)
 TRUSTED FOR GENERATIONS™ Replacement Parts List

Stationary Posts for Camshelving-US Dimensions

CODE	C.G.HEIGHT(IN.)	HEIGHT(CM)	USD LIST PRICE
CSP32	28 32"	81,3	20.70
CSP56	28 56"	142,0	34.30
CSP64	28 64"	162,6	38.25
CSP72	28 72"	182,9	39.40
CSP84	28 84"	213,4	47.20

Mobile Posts for Camshelving-US Dimensions

CODE	HEIGHT C.G.W/CASTER(IN.)	HEIGHT W/CASTER(CM)	USD LIST PRICE
CSPR35	28 35"	88,9	24.05
CSPR59	28 59"	149,9	36.10
CSPR67	28 67"	170,2	40.15
CSPR75	28 75"	190,5	41.40

Traverses-US Dimensions


CODE	C.G.WIDTH	WIDTH	USD LIST PRICE
CSTR24	28 24"	61,0 cm	15.90
CSTR30	28 30"	76,2 cm	19.05
CSTR36	28 36"	91,4 cm	22.05
CSTR42	28 42"	106,7 cm	25.20
CSTR48	28 48"	121,9 cm	28.20
CSTR54	28 54"	137,2 cm	31.25
CSTR60	28 60"	152,4 cm	34.30
CSTR72	28 72"	182,9 cm	40.35

Post Connectors-US Dimensions

CODE	C.G.DESCRPTION	WIDTH	USD LIST PRICE
CSPCT14	28 Top Post Connector	14" (35,6 cm)	8.75
CSPCB14	28 Bottom Post Connector	14" (35,6 cm)	8.75
CSPCT18	28 Top Post Connector	18" (45,7 cm)	10.95
CSPCB18	28 Bottom Post Connector	18" (45,7 cm)	10.95
CSPCT21	28 Top Post Connector	21" (53,3 cm)	12.25
CSPCB21	28 Bottom Post Connector	21" (53,3 cm)	12.25
CSPCT24	28 Top Post Connector	24" (61,0 cm)	12.75
CSPCB24	28 Bottom Post Connector	24" (61,0 cm)	12.75

Corner Connectors-US Dimensions

CODE	C.G.DESCRPTION	USD LIST PRICE
CSCCR	28 90° Right Corner Connector	3.65
CSCCL	28 90° Left Corner Connector	3.65





Solid Shelf Plates-US Dimensions

CODE	C.G.WIDTH	LENGTH	USD LIST PRICE
CS146S	28 14" (35,6 cm)	6" (15,2 cm)	13.05
CS1411S	28 14" (35,6 cm)	11" (27,9 cm)	14.75
CS1412S	28 14" (35,6 cm)	12" (30,5 cm)	15.50
CS1418S	28 14" (35,6 cm)	18" (45,7 cm)	20.15
CS186S	28 18" (45,7 cm)	6" (15,2 cm)	13.40
CS1811S	28 18" (45,7 cm)	11" (27,9 cm)	15.95
CS1812S	28 18" (45,7 cm)	12" (30,5 cm)	16.35
CS1818S	28 18" (45,7 cm)	18" (45,7 cm)	24.60
CS216S	28 21" (53,3 cm)	6" (15,2 cm)	16.50
CS2111S	28 21" (53,3 cm)	11" (27,9 cm)	19.50
CS2112S	28 21" (53,3 cm)	12" (30,5 cm)	21.30
CS2118S	28 21" (53,3 cm)	18" (45,7 cm)	30.75
CS246S	28 24" (61,0 cm)	6" (15,2 cm)	18.30
CS2411S	28 24" (61,0 cm)	11" (27,9 cm)	22.10
CS2412S	28 24" (61,0 cm)	12" (30,5 cm)	24.05
CS2418S	28 24" (61,0 cm)	18" (45,7 cm)	31.80



Vented Shelf Plates-US Dimensions

CODE	C.G.WIDTH	LENGTH	USD LIST PRICE
CS146V	28 14" (35,6 cm)	6" (15,2 cm)	12.85
CS1411V	28 14" (35,6 cm)	11" (27,9 cm)	13.95
CS1412V	28 14" (35,6 cm)	12" (30,5 cm)	14.85
CS1418V	28 14" (35,6 cm)	18" (45,7 cm)	18.55
CS186V	28 18" (45,7 cm)	6" (15,2 cm)	13.00
CS1811V	28 18" (45,7 cm)	11" (27,9 cm)	14.60
CS1812V	28 18" (45,7 cm)	12" (30,5 cm)	15.40
CS1818V	28 18" (45,7 cm)	18" (45,7 cm)	22.70
CS216V	28 21" (53,3 cm)	6" (15,2 cm)	14.95
CS2111V	28 21" (53,3 cm)	11" (27,9 cm)	18.15
CS2112V	28 21" (53,3 cm)	12" (30,5 cm)	19.05
CS2118V	28 21" (53,3 cm)	18" (45,7 cm)	28.15
CS246V	28 24" (61,0 cm)	6" (15,2 cm)	17.65
CS2411V	28 24" (61,0 cm)	11" (27,9 cm)	19.40
CS2412V	28 24" (61,0 cm)	12" (30,5 cm)	22.80
CS2418V	28 24" (61,0 cm)	18" (45,7 cm)	29.30

Post Leveling Foot-US Dimensions

CODE	C.G.DESCRPTION	USD LIST PRICE
CSLF	28 Leveling foot to level	1.65


ID Tag-US Dimensions

CODE	C.G.DESCRPTION	USD LIST PRICE
CSIDL	12-Labels	1.00

US CAMSHELVING® (US SIZES AND MEASUREMENTS) CONTINUED


Shelves are available in 4 Widths: 14" (35,6 cm), 18" (45,7 cm), 21" (53,3 cm) 24" (61,0 cm)

Shelf Configuration for 24" (61,0 cm) Traverse.




CS1411S/V	CS1411S/V
CS1811S/V	CS1811S/V
CS2111S/V	CS2111S/V
CS2411S/V	CS2411S/V

Shelf Configuration for 48" (121,9 cm) Traverse.




CS1411S/V	CS1412S/V	CS1412S/V	CS1411S/V
CS1811S/V	CS1812S/V	CS1812S/V	CS1811S/V
CS2111S/V	CS2112S/V	CS2112S/V	CS2111S/V
CS2411S/V	CS2412S/V	CS2412S/V	CS2411S/V

Shelf Configuration for 30" (76,2 cm) Traverse.




CS1411S/V	CS146S/V	CS1411S/V
CS1811S/V	CS186S/V	CS1811S/V
CS2111S/V	CS216S/V	CS2111S/V
CS2411S/V	CS246S/V	CS2411S/V

Shelf Configuration for 54" (137,2 cm) Traverse.




CS1411S/V	CS1418S/V	CS1412S/V	CS1411S/V
CS1811S/V	CS1818S/V	CS1812S/V	CS1811S/V
CS2111S/V	CS2118S/V	CS2112S/V	CS2111S/V
CS2411S/V	CS2418S/V	CS2412S/V	CS2411S/V

Shelf Configuration for 36" (91,4 cm) Traverse.




CS1411S/V	CS1412S/V	CS1411S/V
CS1811S/V	CS1812S/V	CS1811S/V
CS2111S/V	CS2112S/V	CS2111S/V
CS2411S/V	CS2412S/V	CS2411S/V

Shelf Configuration for 60" (152,4 cm) Traverse.




CS1411S/V	CS1418S/V	CS1418S/V	CS1411S/V
CS1811S/V	CS1818S/V	CS1818S/V	CS1811S/V
CS2111S/V	CS2118S/V	CS2118S/V	CS2111S/V
CS2411S/V	CS2418S/V	CS2418S/V	CS2411S/V

Shelf Configuration for 42" (106,7 cm) Traverse.



CS1411S/V	CS1418S/V	CS1411S/V
CS1811S/V	CS1818S/V	CS1811S/V
CS2111S/V	CS2118S/V	CS2111S/V
CS2411S/V	CS2418S/V	CS2411S/V

Shelf Configuration for 72" (182,9 cm) Traverse.



CS1411S/V	CS1412S/V	CS1418S/V	CS1418S/V	CS1411S/V
CS1811S/V	CS1812S/V	CS1818S/V	CS1818S/V	CS1811S/V
CS2111S/V	CS2112S/V	CS2118S/V	CS2118S/V	CS2111S/V
CS2411S/V	CS2412S/V	CS2418S/V	CS2418S/V	CS2411S/V